



LED MAGNETIC TRACK - SERIES




LINNER



GRILL



CYLINDER HANGING



RAIL CONCEAL



DRIVER

LED MAGNETIC TRACK SERIES





LED MAGNETIC LINNER TRACK LIGHT - MAGNETIC SERIES



Die Cast Aluminium - Magnetic Spot Light
Enhanced Flexibility - Modern Aesthetics



| S.NO | PRODUCT CODE | CCT | P.K.G | LUMENS | M.R.P |
|------|-----------------------------------|----------|-------|--------|-------|
| N-01 | ORMLTL-12W LED LINEAR TRACK LIGHT | 6K 4K 3K | 40 | 1200 | 1750 |
| N-02 | ORMLTL-18W LED LINEAR TRACK LIGHT | 6K 4K 3K | 40 | 1800 | 2750 |
| N-03 | ORMLTL-24W LED LINEAR TRACK LIGHT | 6K 4K 3K | 40 | 2400 | 5250 |

LED MAGNETIC GRILL TRACK LIGHT - MAGNETIC SERIES



Die Cast Aluminium - Magnetic Spot Light
Enhanced Flexibility - Modern Aesthetics



| S.NO | PRODUCT CODE | CCT | P.K.G | LUMENS | M.R.P |
|------|---------------------------------|----------|-------|--------|-------|
| N-04 | ORMGL-6W LED GRILL TRACK LIGHT | 6K 4K 3K | 40 | 800 | 1500 |
| N-05 | ORMGL-12W LED GRILL TRACK LIGHT | 6K 4K 3K | 40 | 1200 | 2000 |

LED MAGNETIC TRACK LIGHT - MAGNETIC SERIES



Die Cast Aluminium - Magnetic Spot Light
Enhanced Flexibility - Modern Aesthetics



| S.NO | PRODUCT CODE | CCT | P.K.G | LUMENS | M.R.P |
|------|------------------------------------|----------|-------|--------|-------|
| N-06 | ORMTL-6W MAGNETIC LED TRACK LIGHT | 6K 4K 3K | 40 | 600 | 2125 |
| N-07 | ORMTL-12W MAGNETIC LED TRACK LIGHT | 6K 4K 3K | 40 | 1200 | 2375 |
| N-08 | ORMTL-18W MAGNETIC LED TRACK LIGHT | 6K 4K 3K | 40 | 1800 | 2750 |

LED MAGNETIC CYLINDER HANGING - MAGNETIC SERIES



Die Cast Aluminium - Magnetic Spot Light
Enhanced Flexibility - Modern Aesthetics



| S.NO | PRODUCT CODE | CCT | P.K.G | LUMENS | M.R.P |
|------|----------------------------------|----------|-------|--------|-------|
| N-09 | ORMCL-10W CYLINDER HANGING LIGHT | 6K 4K 3K | 40 | 1000 | 3875 |



LED MAGNETIC TRACK RAIL CONCEAL - MAGNETIC SERIES



Surface Track Is Deep Mounted Track To Hide Fixture Modules Which Offers Modern Lighting Solution



| S.NO | PRODUCT CODE | CCT | P.K.G | LUMENS | M.R.P |
|------|---------------------------------|------------|-------|--------|-------|
| N-10 | ORMCTP- 1MTR LED MAGNETIC TRACK | BLACK BODY | 40 | - | 2065 |
| N-11 | ORMCTP- 2MTR LED MAGNETIC TRACK | BLACK BODY | 40 | - | 3875 |

LED MAGNETIC TRACK RAIL SURFACE - MAGNETIC SERIES



Cancelled Track Is Deep Mounted Track To Hide Fixture Modules Which Offers Modern Lighting Solution



| S.NO | PRODUCT CODE | CCT | P.K.G | LUMENS | M.R.P |
|------|--------------------------------|------------|-------|--------|-------|
| N-12 | ORMSTP-1MTR LED MAGNETIC TRACK | BLACK BODY | 40 | - | 2065 |
| N-13 | ORMSTP-2MTR LED MAGNETIC TRACK | BLACK BODY | 40 | - | 3875 |

LED MAGNETIC DRIVER - MAGNETIC SERIES



Track Accessories - Customisation With Driver Conduction Modules - Remote And Hanging Bag



| S.NO | PRODUCT CODE | CCT | P.K.G | LUMENS | M.R.P |
|------|---------------------------|-----|-------|--------|-------|
| N-14 | ORMD-100W MAGNETIC DRIVER | NA | 100 | 10,000 | 3000 |
| N-15 | ORMD-200W MAGNETIC DRIVER | NA | 100 | 20,000 | 4500 |

LED MAGNETIC CONNECTOR - MAGNETIC SERIES



Track Accessories - Customisation With Driver Conduction Modules - Remote And Hanging Bag



| S.NO | PRODUCT CODE | CCT | P.K.G | LUMENS | M.R.P |
|------|---------------------------------|-----|-------|--------|-------|
| N-16 | ORMC- EMBEDDED ANGLE CONNECTOR | NA | 100 | - | 1125 |
| N-17 | ORMC-CORNER MODULE CONNECTOR | NA | 100 | - | 900 |
| N-18 | ORMC- STRAIGHT MODULE CONNECTOR | NA | 100 | - | 425 |



LED LASER BLADE - ELEGANT SERIES

- CRI >80
- System Lumens > 140 lm/w
- Input 130-320V AC
- Surge Protection 4KV
- IP20

*Beam Focus - Nanoscale Design - Flush Mount -
Narrow Angle Illumination - External Driver - Recessed Mount*



| S.NO | PRODUCT CODE | CCT | P.K.G | LUMENS | D.L.P |
|------|---------------------------------|----------|-------|--------|-------|
| N-19 | OR-0914 14W (2 X7W) LASER BLADE | 6K 4K 3K | 50 | 200 | 2000 |
| N-20 | OR-0928 28W (4 X7W) LASER BLADE | 6K 4K 3K | 50 | 400 | 3750 |

LED LASER BLADE - OPTICAL SERIES

- CRI >80
- System Lumens > 140 lm/w
- Input 130-320V AC
- Surge Protection 4KV
- IP20

*Beam Focus - Nanoscale Design - Flush Mount -
Narrow Angle Illumination - External Driver - Recessed Mount*



| S.NO | PRODUCT CODE | CCT | P.K.G | LUMENS | D.L.P |
|------|----------------------------------|----------|-------|--------|-------|
| N-21 | OR-GX003 30W (1X30W) LASER BLADE | 6K 4K 3K | 20 | 3000 | 4000 |